

PROPOSED AGENDA  
**ENVIRONMENTAL ADVISORY COMMISSION**  
January 3, 2013  
5:30 P.M.  
PUBLIC WORKS DEPARTMENT  
CONFERENCE ROOM  
1500 BEATTY STREET

1. Call to Order
2. Roll Call
3. Additions/Deletions to the Agenda
4. Approval of December 3, 2012 Minutes - Attachment A
5. Public Comment Period
6. New Business
  - A. Elections (5 MINS) J. Holley
  - B. Announcements (5 MINS) J. Holley
  - C. Strategic Planning Preparation (15 MINS) K. Holton
7. Old Business
  - A. Council Presentation – Finalize (15 MINS) J. Holley
  - B. Plastics Brochure (15 MINS) L. Williamson
  - C. EAC Grant Development (15 MINS) L. Williamson
  - D. GCPP – Update (5 MINS) H. Cox
8. Other – FYI
  - A. Recycling Report – Attachment B
  - B. UST/AST Report – Attachment C
9. Proposed Agenda Items (February 7, 2013 Meeting) K. Holton
  - A. EAC Grant – Advertise
  - B. Strategic Planning for Goals & Objectives
  - C. FROGGS Update
  - D. Stormwater Annual Report
10. Adjournment

# ***ATTACHMENT A***

---

***(December 3, 2012 Minutes)***

*Action:* For your review and approval.

**DRAFT OF MINUTES PROPOSED FOR ADOPTION BY THE  
ENVIRONMENTAL ADVISORY COMMISSION  
December 6, 2012**

**1. CALL TO ORDER**

Members of the Environmental Advisory Commission met on the above date at 5:30 p.m. in the Conference Room of the Public Works Facility. Mr. Jay Holley, Chairperson, called the meeting to order and welcomed members and guests. The following attended the meeting:

**2. ROLL CALL**

**MEMBERS:**

Mr. Scott Anderson  
Mr. Owen Burney  
Mr. Hugh Cox

Dr. Michael Behm  
Dr. Robert Chin  
Mr. Jay Holley

**OTHERS PRESENT:**

Council Member Marion Blackburn  
Scott Godefroy, City of Greenville  
Kinsey Holton, City of Greenville  
Amanda Braddy, City of Greenville  
Ethan Brogden, ECU  
Bryn Terry, ECU  
Stephen Herendeen, ECU  
Max Downey, ECU

**3. ADDITIONS/DELETIONS TO THE AGENDA**

There were no additions or deletions to the agenda.

**4. APPROVAL OF OCTOBER 4, 2012 MINUTES**

A motion was made by Dr. Chin to accept the minutes as presented. The motion was seconded by Dr. Behm and passed unanimously.

**5. PUBLIC COMMENT PERIOD**

Mr. Holley recognized students visiting from East Carolina University. There were no public comments.

**6. NEW BUSINESS**

**A. Announcements**

- Mr. Holley informed the group of his decision to resign from EAC effective with his April 2013 second term renewal. Council Member Blackburn commended Mr. Holley on his work with the Town Creek issue and thanked him for his work on EAC.

## **B. Goals & Objectives – Finalize**

Mr. Holley began the discussion by referencing an email forwarded to members regarding last year's goals and objectives. This email detailed the goals and objectives presented to City Council and also detailed the previous year's points of pride as well.

Dr. Behm asked if the goals set by EAC were measurable goals. Mr. Holley commented the history of the goal making process was to achieve a level of measurable goals such as the recycling report and the increase in recycling and to also focus on areas of concern such as plastics in the environment with the final product being a brochure. Dr. Chin commented he believed any goal set by EAC should be measurable.

Council Member Blackburn stated she would like to see EAC have a higher profile with City Council in the decision making process on environmental issues. Mr. Holley commented he felt the public comment period time at City Council may be an opportune time for members to use this as a voice for EAC.

Dr. Behm questioned the possibility of working with other commissions in providing comments on their projects that involve an environmental component. Mr. Holley stated EAC does work with other commissions and committees by receiving reports from other commissions and serving on committees such as the Tree Preservation Committee and the Lighting Standard Committee. Mr. Cox emphasized the role EAC had in the committees mentioned and also recalled the no idling signs installed at schools as a result of work by GCPP commission members. Mr. Cox stated he felt one goal to consider would be having no idling signs installed at City parks.

Dr. Chin asked if the parking deck issue would be a project for EAC to consider offering input on environmental issues to City Council. Mr. Holley responded this would be a good opportunity for EAC to be represented at a City Council meeting and have public comments by members. Council Member Blackburn suggested EAC should establish comments regarding the Intermodal Transportation Center as well.

After discussion, the goals and objectives established for the upcoming year will be:

- To publish and distribute a plastics brochure
- To publicize and advertise the current Grant Program
- To seek funding sources for future grants
- To participate in the Sustainability planning process
- Engage citizens in environmental responsibility
- Reduce volume of our waste
- Preserve liquid gold (water)

Dr. Behm made a motion to accept the goals as determined. Dr. Chin seconded the motion. The motion passed unanimously.

Dr. Behm also suggested a strategic planning session be considered by EAC. This session would allow members to establish upcoming goals and objectives. This planning will be held during the February 7, 2013 EAC meeting.

The 2020 vision for Greenville goals will remain the same as last year. The points of pride will be amended as followed:

- Diverse, talented membership
- Development of plastics brochure
- Award of first grant to Wahl-Coates 4-H Club
- Lighting Standards Stakeholders Group representation
- Tree Preservation Committee representation
- Greenville Climate Protection Partnership (GCPP) subcommittee
- ECU Service Learning Partnership
- Working relationship with Public Works and other civic groups
- Improved recycling

**C. Council Presentation – Brainstorm**

This topic was combined with Item B above. The presentation to be given to City Council will be reviewed and approved at the January 3, 2013 meeting.

**D. EAC Grant Program – 2013 Cycle**

Mr. Holley commented on the list of schools provided in the agenda package and stated these schools would be the target audience for the upcoming grant cycle. Dr. Behm asked if a subcommittee would be established to make contact with the schools to promote the grant. Mr. Holley stated the original grant targeted parent/teacher organizations and it was later determined to open the grant to school related clubs. Mr. Holley also suggested the grant be opened further to allow science teachers to apply for the grant as well.

**7. OLD BUSINESS**

**A. Brochure for Plastic Waste**

Mr. Holley directed attention to the amended plastics brochure presented by Ms. Williamson via email. Mr. Holley suggested the word “tap” be added to describe the water on the page titled “What can I do?” Mr. Anderson commented the statement of “cleanest water in the world” needs to be evaluated. Mr. Anderson expressed concern in how this fact was determined.

Mr. Holley also commented that feedback on the brochure reflected a desire for the brochure to be focused more on the environmental aspects of plastics versus the health and safety aspects the brochure has taken. Mr. Holton pointed out the factual components of the brochure need to be addressed. Mr. Holton expressed concern on some statements in the brochure and the fact checking process involved. Mr. Holley suggested more links be added to direct individuals to more detailed information on the center brochure that lists the safety scale of plastic. Mr. Holley also commented the City of Greenville link and Green”er”ville link be added to the brochure.

Mr. Holley suggested removing the information on the right panel be designated to address environmental issues of plastic. Mr. Holley also commented on typographical errors found on the left panel. Mr. Holton will forward all the comments given to Ms. Williamson to be incorporated into the brochure and the changes will be brought back to the January 3, 2013 meeting.

**B. GTV – PSA – January, February, March**

PSA's for the months of January, February, and March were established as followed:

January – Anti-Idling

February – Grant Program

March – Recycling

**C. GCPP – Update**

Mr. Cox forwarded the minutes of the November 13, 2012 meeting by email to EAC members for review.

**D. ECU Service Learning Memorandum of Understanding**

Mr. Holton reported the Memorandum of Understanding was forwarded to the City Manger for signature. Once the MOU is signed, it will be on file for future learning projects to be considered by EAC.

**8. OTHER– FYI**

**A. Recycling Report**

**B. UST/AST Report**

**9. PROPOSED AGENDA ITEMS – The following items are proposed for the January 3, 2012 meeting:**

**A. Elections**

**B. Council Presentation – Finalize**

**C. GCPP Update**

**D. Stormwater Annual Report**

**E. 2013 EAC Grant Development**

**F. Strategic Planning Preparation**

**G. Plastic Brochure**


**10. Adjournment –There being no further business to discuss, the meeting adjourned at 7:15pm.**

# **ATTACHMENT B**


**(Recycling Report)**

*Action:* For your information.

## All Recycling Diversion Rate 2009-2012



## Household Diversion Rate



\*September 2011 Increase in Diversion Rate due to Vegetation from Hurricane Irene

# ***ATTACHMENT C***

---

***(UST/AST Report)***

*Action:* For your information

**SUMMARY TABLE OF UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
10/11/2012	BAILEY RENTAL - JACKSON DRIVE	2610 JACKSON DRIVE		SL	(1) 250-GAL HEATING OIL UST REMOVED. ENCOUNTERED GW AT 6.5 FT. RB SOIL SAMPLES BELOW STGW. REQUESTED IAA10/26/2012.///
10/11/2012	BAILEY RENTAL - ALEXANDER CIRCLE	111 ALEXANDER CIRCLE		SL	(1) 280-GAL HEATING OIL UST REMOVED 10/11/12. GW ENCOUNTERED APPROX. 6 FT BLS. SIDEWALL SOIL SAMPLE SW ABOVE STGW. IAA TO FOLLOW W/GW SAMPLING RESULTS.////
8/23/2012	MAYO PROPERTY (ROSETTA)	223 CHURCHILL DR.	11/14/2012	SL	(1) 550-GAL HEATING OIL UST REMOVED 8/23/2012. DID NOT ENCOUNTER GW. SOIL ABOVE TPH. AFTER EXCAVATION SIDEWALL AND BOTTOM SOIL SAMPLES BELOW MSCCs. REQUESTING IAA.////REC'D IAA, NFA LTR SENT 11/9/2012.
8/14/2012	ALDRIDGE RENTAL	2007 SHERWOOD DR.		SL	
8/2/2012	WILLE RESIDENCE (CARLIE)	204 MARTINSBOROUGH ROAD		GW	(1) 550-GAL HEATING OIL UST CLOSED IN PLACE 8/2/2012. LIMITED EXCAVATION SHOWS SIDEWALL SOIL SAMPLES BRL. GW ENCOUNTERED APPROX 4 FT. BLS. IAA REQUESTED.////REC'D IAA. GW ABOVE 2L. REQUESTING LSA.
7/25/2012	C. M. EPPES MIDDLE SCHOOL	1100 SOUTH ELM STREET	11/16/2012	SL	Tank # 2 = (1) 2,000-GAL HEATING OIL UST REMOVED 7/24-25/2012. DID NOT ENCOUNTER GW. SOIL ABOVE TPH BUT BELOW MSCCs. Concrete pad encountered at approx 9 ft. bls. Tank #1 = EXCAVATED SOIL, FOUND PIPING BUT NO TANK (obviously 1,000-gal heating oil tank had been removed previously.) NO CONTAMINATION WAS EVIDENT AT THIS LOCATION.
7/17/2012	LEAMY RESIDENCE (NANCY)	615 ELEANOR STREET		GW	280 GALLON HOME HEATING OIL UST REMOVED. SOIL EXCEEDS S-GW MSCCs NEXT TO FOUNDATION. GW BELOW 2L. LSA REQUESTED.
7/16/2012	CARRAWAY ESTATE	1605 BEAUMONT DRIVE		SL	280 GALLON HOME HEATING OIL UST REMOVAL. SOIL EXCEEDS RES. MSCCs NEXT TO FOUNDATION. IAA/LSA REQUESTED.
7/16/2012	THE PANTRY #900	4300 EASTERN PINE ROAD		SL	
6/27/2012	PERKINS DUPLEX	403 S. SUMMIT STREET		SL	2 HEATING OIL USTS REMOVED FROM THIS PROPERTY. COMBINED ONTO 1 EXCAVATION. SOIL EXCEEDS RES. MSCCs NEXT TO FOUNDATION. GW SAMPLE RESULTS TO FOLLOW IN IAA REPORT.
6/13/2012	KENDRICK PROPERTY (SCOTT)	905 SE GREENVILLE BLVD.	9/26/2012	GW	280 GALLON HOME HEATING OIL UST REMOVAL. AFTER EXCAVATION, SOIL CONTAMINATION BELOW S-GW MSCCs. GW ENCOUNTERED DURING EXCAVATION. GW RESULTS TO FOLLOW IN IAA REPORT. GW BELOW 2L. NFA.
6/11/2012	HOWIE RESIDENCE (ANN)	1009 NORTH OVERLOOK DR.	10/24/2012	SL	(1) 280-GAL HEATING OIL UST REMOVED ON 6/11/2012. DID NOT ENCOUNTER GW. ALL SOIL SAMPLES BELOW STGW. REQUESTING IAA. /// NFA LETTER SENT 10/24/2012.
6/5/2012	SAINT JAMES PARSONAGE	114 LORD ASHLEY DRIVE		SL	550 GALLON HOME HEATING OIL UST REMOVAL. AFTER EXCAVATION, SOIL BELOW S-GW MSCCs. GW ENCOUNTERED. GW RESULTS TO FOLLOW IN IAA REPORT.
5/21/2012	WHITEHURST ESTATE	103 MARTINSBOROUGH RD.		SL	550 GALLON HOME HEATING OIL UST REMOVAL. AFTER EXCAVATION SOIL BDL. GW ENCOUNTERED. GW RESULTS TO FOLLOW IN IAA REPORT. GW BDL, NFA.

**SUMMARY TABLE OF UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
5/7/2012	WHITFIELD EQUITY INVESTMENTS PROPERTY	312 CLAIRMONT CIRCLE	11/6/2012	GW	280 GALLON HOME HEATING OIL UST REMOVED. CONTAMINATION WAS DISCOVERED AS A RESULT OF AN OVERFILL. ADDITIONAL SOIL EXCAVATED IN OVERFLOW AREA. AFTER EXCAVATION SOIL BELOW DETECTION LIMIT. GROUNDWATER ENCOUNTERED. GW WILL BE SAMPLED DURING IAA. GW EXCEEDS 2L. LSA REQUESTED. NRP FOR GW ONLY.
5/1/2012	Pantry 826	4000 South Memorial Drive		SL	
4/24/2012	RICKS RESIDENCE (JAMES & SUSAN)	117 S. HARDING ST.	11/6/2012	GW	550 GALLON HOME HEATING OIL UST REMOVED. GROUNDWATER ENCOUNTERED DURING EXCAVATION. GW SAMPLE RESULTS TO FOLLOW IN IAA REPORT. SOIL BDL FOR PETROLEUM CONSTITUENTS. GW EXCEEDS 2L, NRP FOR GW ONLY.
3/26/2012	CITY OF GREENVILLE STARLIGHT ALLEY	SOUTH WASHINGTON ST.		SL	
2/22/2012	MAXON PROPERTY (JOHN)	1404 E. WRIGHT RD.	9/6/2012	GW	(1) 280-GAL HEATING OIL UST REMOVED ON 2/22/12. GW ENCOUNTERED AT ~ 8 FT. EW SIDEWALL SOIL SAMPLE ABOVE RESID IN AROMATICS. REQUESTING IAA./// REC'D IAA. GW ABOVE 2L. REQUESTING LSA./// REC'D LSA. RANKED L90D. NRP'D FOR GW & SOIL.
2/21/2012	PANTRY #799	316 EAST 10TH STREET		SL	
2/15/2012	PERKINS RESIDENCE (PHILLIP & ANGIE)	211 KING GEORGE RD	7/11/2012	SL	550 GALLON HOME HEATING OIL UST REMOVED. AST ADJACENT. AST SS BDL. BASE SOIL SAMPLE IN UST EXCAVATION EXCEEDS SOIL-GW MSCCS. GW NOT ENCOUNTERED DURING EXCAVATION. IAA/LSA REQUIRED. LOW RANK. SOIL BELOW RES. MSCCS, GW BELOW 2L. NFA ISSUED 7/10/2012
2/11/2012	DANIEL RESIDENCE (RAE)	227 ORTON DRIVE	8/14/2012	GW	(1) 280-GAL HEATING OIL UST REMOVED ON 2/1/2012. EXCAVATED 57.3 TONS CONTAMINATED SOIL. SW&BS SOIL SAMPLES ABOVE RESIDENTIAL. DID NOT ENCOUNTER GW AT FINAL EXCAVATION DEPTH OF 10 FEET. MW INSTALLED ON 3/7/12. REQUESTED IAA./// rec'd IAA GW above 2L, requesting LSA./// REC'D LSA. RANKS L95D. NRP FOR SOIL & GW.
1/24/2012	MORAN RESIDENCE (JON AND LINDA)	2126 POTERTOWN ROAD	6/21/2012	GW	750 GALLON HEATING OIL UST CLOSED IN PLACE. SOIL EXCEEDS 10 TPH. RB SOIL DATA AND GW RESULTS TO FOLLOW IN IAA REPORT.
12/14/2011	STOKES PROPERTY (SYLVIA)	2155 OLD RIVE ROAD		NO	NC DOT PERFORMED A PRELIMINARY SITE ASSESSMENT ALONG THE DOT ROW & EASEMENT AT PARCEL 4 (formerly Parcel 3) SYLVIA K. STOKES, et. al. PROPERTY. PARCEL #003 STATE PROJECT B-4787,. WBS ELEMENT #38557.1.1. THERE WAS NO EVIDENCE OF USTs ALONG THE ROW. NINE(9) SOIL SAMPLES WERE COLLECTED FROM BORINGS TO DELINEATE PETROLEUM CONTAMINATED SOILS WITHIN THE ROW. ONE (1) GW SAMPLE WAS COLLECTED. LAB RESULTS INDICATED THAT NO SAMPLES EXCEEDED THE NCDENR ACTION LEVELS FOR SOIL OR GW.

**SUMMARY TABLE OF UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
12/13/2011	DAVIS PROPERTY (ANN)	1100 EAST 3RD ST.		SL	(1) 280-GAL HEATING OIL UST REMOVED 12/13/2012. CLOSURE SAMPLE TAKEN AT 9 FT. DID NOT ENCOUNTER GW. IAA REQUESTED 7/2/2012./// SOIL SAMPLES ABOVE STGW & RESIDENTIAL MSCCs. REQUESTING LSA.///
11/1/2011	CITY OF GREENVILLE ORPHAN UST	NORTHWEST CORNER 4TH & GREENE	2/14/2012	SL	(1) 1000-GAL HEATING OIL TANK DISCOVERED DURING PARKING LOT CONSTRUCTION. NO SOIL WAS EXCAVATED FOR REMEDIATION B/C NO EVIDENCE OF CONTAMINATION WAS OBSERVED DURING TANK REMOVAL.
10/25/2011	EVANS RESIDENCE (RICHARD)	200 CROWN POINT ROAD	5/1/2012	SL	(1) 550-GAL HEATING OIL UST CLOSED IN PLACE 10/25/2011. GW NOT ENCOUNTERED. ANGLED SOIL BORINGS SOIL SAMPLES ABOVE RESIDENTIAL. REQUESTING IAA. IAA REC'D GW BELOW 2L. REQUESTING LSA./// NO RECEPTORS, SOIL ABOVE RESIDENTIAL, GW BELOW 2L. NRP FOR SOIL.
10/25/2011	EAST CAROLINA JOYNER LIBRARY	JOYNER LIBRARY LOADING DOCK		GW	JOYNER LIBRARY LOADING DOCK LIFT PLATFORM RELEASE OF HYDRAULIC FLUID; POTENTIALLY FROM UNDERGROUND PISTON.
10/4/2011	GRAZIANI RESIDENCE (RON)	301 ORTON DRIVE	4/17/2012	SL	(1) 550-GAL HEATING OIL UST REMOVED ON 10/4/2011. CONTAMINATED SOIL EXCAVATED. SIDEWALL SOIL SAMPLE SW ABOVE RESIDENTIAL. GW NOT ENCOUNTERED AT DEPTH OF 11 FT. IAA REQUESTED 11/14/2011. REC'D IAA. NO GW ASSESSEMENT. ASKED FOR LSA./// GW BRL, SOIL ABOVE RESIDENTIAL, NO RECEPTORS, NRP SOIL.
10/3/2011	Stringfield Property (Delzora)	703 McDowell Street		SL	UST REMOVAL INVESTIGATION LED TO DISCOVERY OF CONTAMINATED SOIL. WARO COLLECTED CONFIMATION SOIL SAMPLES. ANALYTICAL RESULTS INDICATE CONTAMINATED SOIL EXCEEDS TPH ACTION LEVELS. RP DECEASED. REFER TO STATE LEAD.ACCEPTED STF 2/8/12
9/23/2011	FLYNN CHRISTIAN FELLOWSHIP (FORMER)	901 HOOKER RD.	5/31/2012	SL	
8/10/2011	ST. PAUL'S EPISCOPAL CHURCH	411/413 E. FOURTH ST.		GW	(1) 1,000-GAL HEATING OIL UST REMOVED ON 7/27/2011. EXCAVATION LIMITED BY BLDG FOUNDATIONS. SOIL ABOVE RESIDENTIAL. HAVE NOT ASSESSED GW AT TIME OF IAA. REQUESTING LSA./// LSA REC'D 8/9/2012. GW BELOW 2L. NO RECEPTORS W/IN 1500 FT. NRP FOR SOIL ONLY.
7/14/2011	DUCK THRU FOOD STORE #13 (FORMER)	601 GREENVILLE BLVD.	1/18/2012	GW	
7/11/2011	BEACON INVESTMENTS PROPERTY II	2603 CROCKETT DRIVE	2/22/2012	SL	(1) 280-GAL HEATING OIL UST CLOSED IN PLACE. ~39.88 TONS CONTAMINATED SOIL REMOVED SURROUNDING AREA OF UST. GW ENCOUNTERED AT ~ 10 FEET BLS. SOIL ABOVE RESIDENTIAL. REQUESTING IAA.// REC'D IAA & LSA. GW BELOW 2L. NRP FOR SOIL
6/27/2011	RIDLEY PROPERTY (JOHN & JULIE)	1708 KNOLLWOOD DR.		SL	550 GALLON HOME HEATING OIL UST REMOVED. SOIL EXCEEDS MSCCs IN BASE SAMPLE. GW NOT ENCOUNTERED DURING EXCAVATION. LSA REQUIRED.
6/8/2011	GRANT RESIDENCE (BILL)	241 WINDSOR ROAD	2/22/2012	SL	(1) 550-GAL HEATING OIL UST REMOVED ON 6/8/2011. GW NOT ENCOUNTERED. BS ABOVE RESIDENTIAL. REQUESTING IAA.//// REC'D LSA. GW BRL. NRP SOIL ONLY.

**SUMMARY TABLE OF UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

<b>Date Occurred</b>	<b>Property Owner</b>	<b>Address</b>	<b>Close Out Date</b>	<b>Type of Incident</b>	<b>Comments</b>
5/17/2011	LAUGHLIN RESIDENCE (SETH)	1403 NORTH OVERLOOK DRIVE	1/9/2012	SL	IN-PLACE CLOSURE APPROVAL ON 5/16/11. 280-GAL HOME HEATING OIL UST CLOSED IN PLACE ON 5/17/2011. SOIL ABOVE RESIDENTIAL MSCCs. MW INSTALLED. GW SAMPLE RESULTS TO FOLLOW IN IAA./// IAA REC'D. GW ABOVE 2L. REQUESTED LSA./// RANKS LOW, NRP FOR SOIL & GW. LTR MAILED 11/15/2011.
4/14/2011	HARRIS RESIDENCE (NANCY)	1611 BEAUMONT DRIVE		GW	550 GALLON HOME HEATING OIL UST REMOVED. SOIL EXCEEDS RES. MSCCs AT FOUNDATION AND IN BASE SAMPLE. GW NOT ENCOUNTERED DURING EXCAVATION. EXCAVATION DEPTH APPROX. 11.5'. IAA/LSA REQUIRED. IAA REPORT REC'D. 0.10' FP MEASURED IN MW-1. RECOVER RP/LSA. INTERMEDIATERANK. STOP FUNDING LETTER SENT 9/22/2011
2/23/2011	DOUGLAS RESIDENCE (DICK & JANEY)	204 HAMPTON CIRCLE		GW	550 GALLON HOME HEATING OIL UST REMOVED. AFTER EXCAVATION, SOIL EXCEEDS RES. MSCCs IN BASE SAMPLE. IAA/LSA REQUIRED. IAA REPORT REC'D 6/1/2011. 0.09 FEET OF FP MEASURED IN MW-1. WARO REQUEST FP REMOVAL IN ADDITION TO LSA. LSA REC'D. FP BAILED. I RANK DUE TO FP/2B. STOP FUNDING LETTER ISSUED 8/1/2011
2/16/2011	KILCOYNE RESIDENCE (BRIAN & BETTE)	2303 EAST 3RD ST.		GW	(1) 280-GAL UST WAS CLOSED IN PLACE ON 2/16/2011. UST WAS PARTLY UNDER HOUSE. DID NOT ENCOUNTER GW AT SURROUNDING EXCAVATION OF 6.5 FT. SOIL TPH ABOVE STDS. RB SOIL SAMPLES "BRL." MW INSTALLED 2/28/2011. GW RESULTS TO FOLLOW IN IAA. /// REC'D IAA 3/32/2011. GW ABOVE 2L. REQUESTING LSA./// REC'D LSA GW ABOVE 2L. BECAUSE SOIL WAS INACCESSIBLE NEXT TO THE HOUSE AND THE TPH READINGS WERE HIGH, THE SOIL IS MOST LIKELY CONTAMINATED IN THAT AREA. THEREFORE WE ARE REQUESTING AN NRP FOR THE PROPERTY FOR BOTH "SOIL" AND GW.
10/19/2010	HILLIARD PROPERTY (MARIE)	210 BELVEDERE DR.		GW	HEATING OIL UST /// (1) 280-GAL HEATING OIL UST REMOVED ON 11/23/2010. NO GW ENCOUNTERED. SOIL ABOVE RESIDENTIAL. REQUESTING LSA.
10/19/2010	F & H MART	425 HOOKER ROAD		GW	(1) 6,000-GAL & (2) 8,000-GAL GASOLINE USTs REMOVED IN 1994. NO REPORTS SUBMITTED AT THAT TIME. ENFORCEMENT MAY 2010. ANALYTICAL RESULTS FROM SOIL BORING SAMPLES DEMONSTRATE SOILS REMAINING AT THE UST AREA EXCEED THE STGW AND RESIDENTIAL MSCCs. REQUESTING LSA./// GW ABOVE 2L BUT NOT GCL. NRP FOR SOIL AND GW. LTR SENT 8/11/2011.
8/30/2010	KASH & KARRY #11	4115 OLD TAR ROAD		SL	
7/28/2010	Pitt County School Bus Garage	901 Mall Drive	1/26/2012	GW	ESA. SOIL AND GROUNDWATER EXCEED TPH AND 2L STDS. COMINGLED UST/AST. WARO REQUESTS ADDITIONAL RB SOIL SAMPLES. NEED A RECEPTOR SURVEY TO COMPLETE AN LSA. IF NO RECEPTORS THEN NRP AND NFA. REFER SOLVENTS TO HAZ WASTE;

**SUMMARY TABLE OF UST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

<b>Date Occurred</b>	<b>Property Owner</b>	<b>Address</b>	<b>Close Out Date</b>	<b>Type of Incident</b>	<b>Comments</b>
6/14/2010	GOGOEL PROPERTY (MICHAEL)	400 S. SUMMIT STREET	4/12/2012	GW	550 GALLON HEATING OIL UST REMOVED. SOIL EXCEEDS RES. MSCCS AT BASE AND FOUNDATION SIDEWALLS. FURTHER EXCAVATION LIMITED. GW NOT ENCOUNTERED DURING EXCAVATION. LSA REQUIRED. LOW RANK. NRP FOR SOIL AND GW (MTBE 3 UG/L).
5/4/2010	Pitt County Memorial Hospital	2100 Stantonsburg Road		GW	RELEASE OCCURRED FROM A LINE THAT CONNECTS (2) USTS USED TO STORE EMERGENCY GENERATOR FUEL FOR THE NEW HEART CENTER. THE SECTION THAT BROKE WAS WITHIN THE CONTAINMENT VESSEL. FUEL OVERFILLED THE CONTAINMENT VESSEL AND FLOWED INTO THE GRAVEL CONTAINMENT VESSEL SURROUNDING THE TANKS. AREA ABOVE USTS IS PAVED. GMA WAS CONTRACTED TO PERFORM SOIL AND GW SAMPLING. /// IAA REC'D SOIL ABOVE RESIDENTIAL BUT NOT INDUSTRIAL MSCC. FREE PRODUCT 2.53 FT IN MW 2. ASKED FOR LSA AND FP RECOVERY ON 9/23/2010./// REC'D LSA 2/3/2011. WSW 200' SE. RANKS HIGH. REQUESTING CSA.///
3/16/2010	PROVIDENCE @ ECU /TRACK 5	508 E. 12TH ST.	1/5/2012	GW	Residential property demolished to make way for new apartment bldg. near ECU. Residence had a heating oil UST. Site has been transferred to the Brownfields Program on 10/20/10 as requested by them. BROWNSFIELD TO RETURN FILE; NEED ADDITIONAL INFORMATION
3/16/2010	PROVIDENCE @ ECU/ REAL CRISIS CENTER (FORMER)	600 E. 11TH ST.	1/5/2012	GW	Site has been relinquished to the Brownfields Program as requested by them - 10/20/10 snh. Folder has been put into the NFA action files and 10/20/10 will be entered into the close out date. BROWNSFIELD RETURN; NEED ADDITIONAL INFORMATION; LSA submitted; NFA less than residential and 2L

**SUMMARY TABLE OF AST INCIDENTS  
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
10/3/2012	CATTAIL LANE COMPLAINT	ACROSS 3606 CATTAIL LN		NO	According to owner of property the neighbor that complained has a history of complaining about all the neighbors and may be mentally unstable. WaRO investigated the site and found no petroleum release on the property. The owner of the property lives across the street from the property with the work trailer..both lots are very well cared for.
6/4/2012	ECU FLANAGAN TRANSFORMER	210 EAST 4TH ST.	12/6/2012	SL	2ND TRANSFORMER LEAK
12/28/2011	ALLEN ROAD FUEL SPILL	PARCEL 34809		SL	
9/2/2011	CITY OF GREENVILLE SANITATION TRUCK SPILL	RIGHT OF WAY 920B B'S BBQ RD	4/24/2012	NO	APPROX 80 GALLONS OF DIESEL FUEL WAS SPILLED INTO A GRAS LINE ROADSIDE SWALE DUE TO A RUPTURED FUEL TANK ON A CITY SANITATION TRUCK. GRANULAR & PAD ABSORBENTS WERE USED TO COLLECT/CONTAIN SPILL IMMEDIATELY. SPILL STOPPED AND CONTAMINATED SOIL WAS REMOVED. NO GW DETECTED.//// ON 1/19/2012 WARO STAFF VISITED SITE AND SAMPLED SOIL. ON 2/16/2012 LABORATORY RESULTS WERE RETURNED WITH NON DETECTED TPH GAS/DRO. NO FURTHER ACTION IS REQUIRED.
11/30/2005	FISHER PROPERTY (RALPH)	3135 BELLS FORK ROAD		SL	
3/22/2005	RIVER PARK NORTH	801 MUMFORD ROAD		GW	DIVISION OF WATER RESOURCES (DWR) INSTALLING A RESEARCH WELL AT THE FORMER BARRUS CONSTRUCTION SITE, DISCOVERED FREE PRODUCT WASTE OIL AND BURIED OIL CANS. BARRUS NOW PART OF APAC-ATLANTIC IN CHANLER, NC. SITE IS NOW LOCATED ON PROPERTY OWNED BY THE CITY OF GREENVILLE AND CALLED RIVER PARK NORTH. . APS SAMPLED SOIL AND GW ON 3/22/2005. NOV ISSUED TO APAC-ATLANTIC ON 3/29/05. APAC DUE TO ASSESS SITE AND SPILL RESPONSE. PAST DUE..PROCEED TO ENFORCE.City of Greenville acting as RP as landowner.CSA received July 2006 is not complete. Finalized assessment due 10/20/2006. Revised CSA received 01/25/07. CAP requested 03/012007.
5/28/2003	ECU/HAYNIE LAND	10TH STREET		SL	SOIL ASSESSMENT AND REMEDIATION OF IMPACTED SOILS TO BE COORDINATED WITH BUILDING RENOVATION AND/OR DEMOLITION. PROPOSED SAMPLING PLAN DUE BY MARCH 15, 2004. PROPOSED WORK STILL MUST SATISFY THE GW GUIDELINES ON SOIL & GW INVESTIGATION.
5/19/2003	DAUGHTRIDGE OIL	2102 DICKINSON AVE		GW	5/28/04 issue NOV for failure to submit CSA. adjacent property (Carawan Oil) has GW contamination. -AMH Daughtridge is an old UST site #19666.
10/24/1996	QUALITY OIL COMPANY	220 HOOKER ROAD		GW	Semi-annual monitoring. Comingled UST and AST release.
3/4/1994	DSM PHARMACEUTICALS (FORMER GLAXO WELLCOME)	BUILDING 31 COGENERATION FACIL		GW	
3/21/1992	CHAMPION'S GYM	207 EAST 5TH STREET		SL	UNIDENTIFIED PERSON OPENED VALVE TO AST SYSTEM AND 50 GALLONS RELEASED
4/3/1989	PITT COUNTY SCHOOLS MAINTENANCE ANNEX	CONTENTNEA ST. & THIRD ST.		SL	
12/1/1988	MCTHRIFT MART FOOD STORE #4	1110 N. MEMORIAL DRIVE		GW	SEMIANNUAL MONITORING