

PROPOSED AGENDA
ENVIRONMENTAL ADVISORY COMMISSION
August 2, 2012
5:30 P.M.
PUBLIC WORKS DEPARTMENT
CONFERENCE ROOM
1500 BEATTY STREET

1. Call to Order
2. Roll Call
3. Additions/Deletions to the Agenda
4. Approval of June 7, 2012 Minutes - Attachment A
5. Public Comment Period
6. New Business
 - A. Announcements (5 MINS) J. Holley
 - B. FROGGS Update (5 MINS) H. Stubbs
 - C. Sustainability Plan (15 MINS) L. Kirby
7. Old Business
 - A. EAC Grant Program – Discuss Call for Proposal (10 MINS) J. Holley
 - B. Bylaws Update – EIS Review (10 MINS) J. Holley
 - C. Brochure for Plastic Waste (10 MINS) J. Holley
 - D. EAC Calendar – Finalize (5 MINS) – Attachment B J. Holley
 - E. GCPP – Discussion of Future (10 MINS) J. Holley
 - F. EECBG Update (5 MINS) S. Godefroy
 - G. Lighting Stakeholders Group Update (5 MINS) L. Williamson
8. Other – FYI
 - A. Recycling Report – Attachment C
 - B. UST Report – Attachment D
9. Proposed Agenda Items (September 6, 2012 Meeting) J. Holley
 - A. Tree Preservation Presentation to City Council Update
 - B. EAC Grant Program – Finalize Call for Proposal
 - C. GTV – PSA – October, November, December
 - D. GCPP Update
 - E. EECBG Update
10. Adjournment

ATTACHMENT A

(June 7, 2012 Minutes)

Action: For your review and approval.

**DRAFT OF MINUTES PROPOSED FOR ADOPTION BY THE
ENVIRONMENTAL ADVISORY COMMISSION
June 7, 2012**

1. CALL TO ORDER

Members of the Environmental Advisory Commission met on the above date at 5:30 p.m. in the Conference Room of the Public Works Facility. Mr. Scott Anderson, Vice-Chairperson, called the meeting to order and welcomed members and guests. The following attended the meeting:

2. ROLL CALL

MEMBERS:

Mr. Scott Anderson
Mr. Owen Burney
Mr. Hugh Cox

Dr. Michael Behm
Dr. Robert Chin
Mrs. Laura Williamson

OTHERS PRESENT:

Kinsey Holton, City of Greenville
Amanda Braddy, City of Greenville
Michael Abramowitz, Daily Reflector
Marian Booth, Pitt County Cooperative Services
Patricia Gray Cahoon, Pitt County Cooperative Services, 4-H
Avery Clifford, WC Explorers
Allison Moran-Wasklewicz, WC Explorers
Keenan Wasklewicz, WC Explorers
Chena Cayton, Principal Wahl-Coates Elementary School

3. ADDITIONS/DELETIONS TO THE AGENDA

The Sustainability Plan discussion was removed from the agenda.

4. APPROVAL OF MAY 3, 2012 MINUTES

Mr. Cox made a motion to accept the May 3, 2012 minutes as presented. A second was made by Ms. Williamson and the motion passed unanimously.

5. PUBLIC COMMENT PERIOD

There were no public comments.

6. NEW BUSINESS

A. Announcements

There were no announcements.

B. EAC Grant Program - Announcement

Mr. Anderson gave a brief explanation of the details of the inaugural EAC Grant Program. Mr. Anderson stated the grant's primary focus for this year was school groups to concentrate on stormwater activities.

The recipient of the award was Wahl-Coates Elementary 4-H Explorers Science Club. Ms. Allison Moran-Wasklewicz detailed the grant application and explained the group would be doing monthly water quality testing of the Greens Mill Run which is the closest body of water in proximity to the school. Ms. Moran-Wasklewicz elaborated on the plans to establish benchmarks for the beginning of the project, education of the entire school population and parents, and presentations that will be given throughout the school year. Ms. Moran-Wasklewicz indicated that Heather Jacobs Deck, Pamlico-Tar River keeper, will also be involved in the project.

C. Sustainability Plan

This discussion was removed from the agenda.

7. OLD BUSINESS

A. EAC Grant Program – Subcommittee

Ms. Anderson asked for those interested in serving on a subcommittee to determine funding and target audience for the upcoming grant process. Ms. Williamson commented she felt if the grant target audience and funding remained the same, the timeline for the grant application process may need to be revised to accommodate the time frame of a school year which runs from August to June.

Ms. Williamson asked if the funding would be available from City Stormwater funds for the upcoming grant cycle. Mr. Holton responded that he believed the funds for the grant recently awarded were from the City's FY12-13 and he would investigate to see if funding for the upcoming grant process would be available in the same fiscal year. Ms. Williamson also asked Mr. Holton if it were in the best interest of the City for funding an additional stormwater project. Mr. Holton stated he felt it would be beneficial to apply grant funding for stormwater projects.

Mr. Cox made a motion to have Ms. Williamson revise the grant application process to "fast track" for school groups and update the grant application and information to reflect the upcoming grant process if funding is approved. The motion was seconded by Dr. Behm and passed unanimously.

B. Bylaws Update

Mr. Holton presented the group with information obtained by City Attorney Dave Holec regarding the meeting of special committees of EAC members and open meeting requirements of those committees. It was determined that any committee consisting of two or more EAC members and exercises legislative, policy making, quasi-judicial, administrative or advisory function must abide by the requirements of the Open Meetings Law.

Mr. Holton also informed the group that EAC has the authority to amend its bylaws without City Council approval. However, the bylaws must conform with the Articles relating to the Environmental Advisory Commission and all other laws and provisions as prescribed by City Council relating to Commissions.

Mr. Holton presented the group with a handout on Major Policy and Planning Issues. This handout was in response to the process of reviewing Environmental Impact

Statements (EIS). Mr. Anderson asked when EAC would be required to review an EIS and who notifies EAC of this process. Mr. Holton will contact Community Development and/or the City Manager's office to determine if EAC should be reviewing the EIS for projects presented to the City. Mr. Holton will report the information at the August 2, 2012 meeting.

Mr. Holton also noted the Bylaws should be amended to reflect EAC does not meet in month of July. A motion was made by Ms. Williamson to amend the bylaws to reflect this addition. A second was made by Dr. Chin. The motion passed unanimously.

C. Brochure for Plastic Waste

Mr. Holton sent an email to Dr. Chin and Dr. Behm an email with background information on the plastic brochure being developed by EAC. Dr. Chin asked for more detailed information regarding the target audience, desired impact on the target audience, and technical aspects of the brochure. Ms. Williamson commented the target audience had not specifically been identified. However, she expounded on additional details of the brochure and explained that mass media such as internet and printed publications could target a general public audience but noted that measurable goals may be difficult to ascertain.

Dr. Chin asked if it would be beneficial to change the focus of the brochure from information on plastic waste to recycling plastics. Mr. Holton stated the City of Greenville's Recycling Coordinator supplied educational information on plastic recycling and explained the initial discussion for the plastic waste brochure was to focus on the impact of plastics in the environment. Dr. Chin commented he felt a measurable goal for the brochure should be recordable for any information provided and asked if it would be feasible to post the brochure to the City's website and monitor the number of visits to the site.

Ms. Williamson offered that the brochure did not lack for material for publication, but the lack of commitment to completing the brochure was an issue. Dr. Chin offered to begin working on the brochure and will bring back information at the August meeting.

Mr. Cox made a motion to table further discussion of this topic to the August 2, 2012 meeting. The motion was seconded by Dr. Chin and the motion passed unanimously.

D. GCPP – Discussion of Future

Mr. Anderson reminded the group to forward information for new members to Mr. Cox as quickly as possible. GCPP's next scheduled meeting will be held in August 2012. Mr. Cox commented that he felt GCPP was a viable subcommittee and would like to see the group continue to assist EAC with goals and objectives as presented to City Council and other tasks as requested by EAC.

Ms. Williamson made a motion to table discussion on this topic to the August 2, 2012 meeting. Dr. Chin seconded the motion. The motion passed unanimously.

E. EECBG Update

Mr. Godefroy explained the grant was initially divided into nine various categories. Due to lack of participation and interest in some categories, modifications have been made to

delete some programs and incorporate new programs. Modifications include funding the additional cost of the Energy Savings Performance Contract, upgrading the existing are a lights and wall packs for the Public Works Facility, Garner Training Facility and Hooker Road warehouse, and Boyd Lee Recreation Center to LED, establish a monitoring system that will enable the City to use light systems more efficiently at the Recreation and Parks athletic field, and install eight (8) LED scoreboards. In addition, the homeowners' energy efficiency revolving loan program has been proposed for amendment to revise the loan process from homeowners to commercial due to lack of participation from homeowners. Mr. Godefroy explained the modifications were being presented to City Council for approval, and if approved, would result in a utilization of \$475,000 of funds.

F. Lighting Stakeholders Group Update

Ms. Williamson reported that Tim Corley and Chris Kelly with the City of Greenville gave a presentation on recommendations for street lighting along roads/streets. The recommendations were in line with expectations of Greenville Utilities; however, Ms. Williamson commented that she expressed her desire for energy efficiency in lighting and the City's commitment to installing technology neutral lighting based on the level of service being provided.

8. OTHER– FYI

A. Recycling Report

B. UST Report

9. PROPOSED AGENDA ITEMS – The following items are proposed for the August 2, 2012 meeting:

A. EAC Calendar - Finalize

B. EAC Grant Program – Discuss Call for Proposal

C. Tree Preservation

D. FROGGS Update

E. Bylaws Update –EIS Review

F. Brochure for Plastic Waste

G. GCPP – Discussion of Future

H. EECBG Update

I. Lighting Stakeholders Group Update

J. Sustainability Plan

10. Adjournment –There being no further business to discuss, the meeting adjourned at 7:30pm.

ATTACHMENT B

(EAC Calendar)

Action: For your information.

PROPOSED EAC SCHEDULE
2012-2013
August 2, 2012

August-12						
S	M	T	W	R	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

1	EAC CALENDAR: Finalize
2	EECBG: Final Update
3	GCPP: Update/report
4	FROGGS: Update/Report
5	EAC GRANT PROGRAM: Discuss Call for Proposal
6	TREE PRESERVATION: Kevin Heifferon

PROPOSED EAC SCHEDULE
2012-2013
September 6, 2012

September-12						
S	M	T	W	R	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

1	GCPP: Update/report
2	TREE PRESERVATION: Presentation to Council Update
3	EAC GRANT PROGRAM: Presentations to Potential Applicants (Finalize Call for Proposal)
4	GTV - PSA: Will run Oct, Nov, Dec
5	
6	

PROPOSED EAC SCHEDULE
2012-2013
October 4, 2012

October-12						
S	M	T	W	R	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

1	KEEP GREENVILLE BEAUTIFUL: Update/report
2	GCPP: Update/report
3	EAC GRANT PROGRAM: Update on Presentations to Potential Applicants
4	REDEVELOPMENT COMMISSION: Update on Projects
5	
6	

PROPOSED EAC SCHEDULE
2012-2013
November 1, 2012

November-12						
S	M	T	W	R	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

1	GOALS & OBJECTIVES: Suggestions for City Council
2	GRANT PROGRAM: Current Grant Update
3	GCPP: Update/report
4	FROGGS: Update/Report
5	
6	

PROPOSED EAC SCHEDULE
2012-2013
December 6, 2012

December-12						
S	M	T	W	R	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

1	<u>COUNCIL PRESENTATION:</u> Brainstorm
2	<u>STORMWATER:</u> Annual report to the State
3	<u>GCPP:</u> Update/report
4	<u>GOALS AND OBJECTIVES:</u> Finalize
5	<u>GTV-PSA:</u> Will run January, February and March
6	

PROPOSED EAC SCHEDULE
2012-2013
February 7, 2013

February-12						
S	M	T	W	R	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28		

1	<u>EAC GRANT PROGRAM:</u> Advertise
2	<u>GCPP:</u> Update/report.
3	<u>FROGGS:</u> Update/report.
4	
5	
6	

PROPOSED EAC SCHEDULE
2012-2013
January 3, 2013

January-13						
S	M	T	W	R	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

1	<u>EAC GRANT PROGRAM:</u> Advertise
2	<u>COUNCIL PRESENTATION:</u> Recap
3	<u>GCPP:</u> Update/report
4	<u>EECBG:</u> Update/report
5	<u>ELECTIONS</u>
6	

PROPOSED EAC SCHEDULE
2012-2013
March 7, 2013

March-13						
S	M	T	W	R	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

1	<u>EAC GRANT PROGRAM:</u> Advertise (grant deadline March 15, 2011)
2	<u>GCPP:</u> Update/report.
3	<u>GRANT PROGRAM:</u> Current Grant Update
4	<u>GOALS & OBJECTIVES:</u> Review
5	<u>GTV-PSA:</u> Will run April, May and June
6	<u>FROGGS:</u> Update/Report

PROPOSED EAC SCHEDULE
2012-2013
April 4, 2013

April-12						
S	M	T	W	R	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

1	<u>EAC GRANT PROGRAM:</u> Distribute Applications
2	<u>GCPP:</u> Update/report.
3	
4	
5	
6	

PROPOSED EAC SCHEDULE
2012-2013
May 2, 2013

May-13						
S	M	T	W	R	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

1	<u>EAC CALENDAR:</u> Proposed calendar.
2	<u>GCPP:</u> Update/report.
3	<u>FROGGS:</u> Update/Report
4	<u>EAC GRANT PROGRAM:</u> Select Recipients
5	<u>GTV-PSA:</u> Will run July, August, September
6	

PROPOSED EAC SCHEDULE
2012-2013
June 6, 2013

June-12						
S	M	T	W	R	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						


1	<u>EAC GRANT PROGRAM:</u> Presentation.
2	
3	
4	
5	
6	

ATTACHMENT C


((Recycling Report))

Action: For your information.


Multi-Family Recycling



All Recycling Diversion Rate 2009-2012



Household Diversion Rate



* Increase in Diversion Rate due to Vegetation from Hurricane Irene

ATTACHMENT D

(UST Report)

Action: For your information.

**SUMMARY TABLE OF UST INCIDENTS
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
2/22/2012	MAXON PROPERTY (JOHN)	1404 E. WRIGHT RD.		SL	(1) 280-GAL HEATING OIL UST REMOVED ON 2/22/12. GW ENCOUNTERED AT ~ 8 FT. EW SIDEWALL SOIL SAMPLE ABOVE RESID IN AROMATICS. REQUESTING IAA.
2/15/2012	PERKINS RESIDENCE (PHILLIP & ANGIE)	211 KING GEORGE RD		SL	550 GALLON HOME HEATING OIL UST REMOVED. AST ADJACENT. AST SS BDL. BASE SOIL SAMPLE IN UST EXCAVATION EXCEEDS SOIL-GW MSCCS. GW NOT ENCOUNTERED DURING EXCAVATION. IAA/LSA REQUIRED. LSA REPORT DUE
2/11/2012	DANIEL RESIDENCE (RAE)	227 ORTON DRIVE		GW	(1) 280-GAL HEATING OIL UST REMOVED ON 2/1/2012. EXCAVATED 57.3 TONS CONTAMINATED SOIL. SW&BS SOIL SAMPLES ABOVE RESIDENTIAL. DID NOT ENCOUNTER GW AT FINAL EXCAVATION DEPTH OF 10 FEET. MW INSTALLED ON 3/7/12. REQUESTED IAA.//// rec'd IAA GW above 2L, requesting LSA.
1/24/2012	MORAN RESIDENCE (JON AND LINDA)	2126 POTERTOWN ROAD		SL	750 GALLON HEATING OIL UST CLOSED IN PLACE. SOIL EXCEEDS 10 TPH. RB SOIL DATA AND GW RESULTS TO FOLLOW IN IAA REPORT.
12/13/2011	DAVIS PROPERTY (ANN)	1100 EAST 3RD ST.		SL	
11/1/2011	CITY OF GREENVILLE ORPHAN UST	NORTHWEST CORNER 4TH & GREENE	2/14/2012	SL	(1) 1000-GAL HEATING OIL TANK DISCOVERED DURING PARKING LOT CONSTRUCTION. NO SOIL WAS EXCAVATED FOR REMEDIATION B/C NO EVIDENCE OF CONTAMINATION WAS OBSERVED DURING TANK REMOVAL.
10/25/2011	EVANS RESIDENCE (RICHARD)	200 CROWN POINT ROAD	5/1/2012	SL	(1) 550-GAL HEATING OIL UST CLOSED IN PLACE 10/25/2011. GW NOT ENCOUNTERED. ANGLED SOIL BORINGS SOIL SAMPLES ABOVE RESIDENTIAL. REQUESTING IAA. IAA REC'D GW BELOW 2L. REQUESTING LSA./// NO RECEPTORS, SOIL ABOVE RESIDENTIAL, GW BELOW 2L. NRP FOR SOIL.
10/25/2011	EAST CAROLINA JOYNER LIBRARY	JOYNER LIBRARY LOADING DOCK		GW	JOYNER LIBRARY LOADING DOCK LIFT PLATFORM RELEASE OF HYDRAULIC FLUID; POTENTIALLY FROM UNDERGROUND PISTON.
10/4/2011	GRAZIANI RESIDENCE (RON)	301 ORTON DRIVE	4/17/2012	SL	(1) 550-GAL HEATING OIL UST REMOVED ON 10/4/2011. CONTAMINATED SOIL EXCAVATED. SIDEWALL SOIL SAMPLE SW ABOVE RESIDENTIAL. GW NOT ENCOUNTERED AT DEPTH OF 11 FT. IAA REQUESTED 11/14/2011. REC'D IAA. NO GW ASSESSEMENT. ASKED FOR LSA./// GW BRL, SOIL ABOVE RESIDENTIAL, NO RECEPTORS, NRP SOIL.
10/3/2011	Stringfield Property (Delzora)	703 McDowell Street		SL	UST REMOVAL INVESTIGATION LED TO DISCOVERY OF CONTAMINATED SOIL. WARO COLLECTED CONFIMATION SOIL SAMPLES. ANALYTICAL RESULTS INDICATE CONTAMINATED SOIL EXCEEDS TPH ACTION LEVELS. RP DECEASED. REFER TO STATE LEAD.ACCEPTED STF 2/8/12
9/23/2011	FLYNN CHRISTIAN FELLOWSHIP (FORMER)	901 HOOKER RD.		SL	
8/10/2011	ST. PAUL'S EPISCOPAL CHURCH	411/413 E. FOURTH ST.		SL	(1) 1,000-GAL HEATING OIL UST REMOVED ON 7/27/2011. EXCAVATION LIMITED BY BLDG FOUNDATIONS. SOIL ABOVE RESIDENTIAL. HAVE NOT ASSESSED GW AT TIME OF IAA. REQUESTING LSA.
7/14/2011	DUCK THRU FOOD STORE #13 (FORMER)	601 GREENVILLE BLVD.	1/18/2012	GW	

**SUMMARY TABLE OF UST INCIDENTS
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
7/11/2011	BEACON INVESTMENTS PROPERTY II	2603 CROCKETT DRIVE	2/22/2012	SL	(1) 280-GAL HEATING OIL UST CLOSED IN PLACE. ~39.88 TONS CONTAMINATED SOIL REMOVED SURROUNDING AREA OF UST. GW ENCOUNTERED AT ~ 10 FEET BLS. SOIL ABOVE RESIDENTIAL. REQUESTING IAA.// REC'D IAA & LSA. GW BELOW 2L. NRP FOR SOIL.
6/27/2011	RIDLEY PROPERTY (JOHN & JULIE)	1708 KNOLLWOOD DR.		SL	550 GALLON HOME HEATING OIL UST REMOVED. SOIL EXCEEDS MSCCS IN BASE SAMPLE. GW NOT ENCOUNTERED DURING EXCAVATION. LSA REQUIRED.
6/8/2011	GRANT RESIDENCE (BILL)	241 WINDSOR ROAD	2/22/2012	SL	(1) 550-GAL HEATING OIL UST REMOVED ON 6/8/2011. GW NOT ENCOUNTERED. BS ABOVE RESIDENTIAL. REQUESTING IAA.//// REC'D LSA. GW BRL. NRP SOIL ONLY.
6/7/2011	SCHACHT RENTAL	1307 COTTON ROAD	11/3/2011	SL	280 GALLON HOME HEATING OIL UST REMOVAL. FOLLOWING EXCAVATION, SOIL BELOW RES MCSSMSCCS. IAA REPORT REQUESTED 7/13/2011. GW NOT ENCOUNTERED. NAPHTHALENE EXCEEDS S-GW MSCCS. LSA REQUESTED. ADDITIONAL DATA FROM LAB INDICATES NAPHTHALENE VALUE IS BELOW STANDARD. NFA ISSUED 11/3/2011.
6/3/2011	SNYDER PROPERTY (KRISTINA)	4736 NC HWY 43 SOUTH	11/10/2011	SL	(1) 550-GAL HEATING OIL UST REMOVED ON 6/2/11. GW ENCOUNTERED AT ~6 FT BLS. NW SIDEWALL SOIL SAMPLE ABOVE STGW FOR MADEP MSCCs. IAA REQUESTED.//// IAA REC'D 9/19/2011. REQUESTING RESAMPLING AT NW MADEP EPH/VPH. //// REC'D RESAMPLING LETTER REPORT 10/20/11. SOIL AT NW BRL. GW BELOW 2L. NFA LETTER SENT 11/10/2011.
5/17/2011	LAUGHLIN RESIDENCE (SETH)	1403 NORTH OVERLOOK DRIVE	1/9/2012	SL	IN-PLACE CLOSURE APPROVAL ON 5/16/11. 280-GAL HOME HEATING OIL UST CLOSED IN PLACE ON 5/17/2011. SOIL ABOVE RESIDENTIAL MSCCs. MW INSTALLED. GW SAMPLE RESULTS TO FOLLOW IN IAA./// IAA REC'D. GW ABOVE 2L. REQUESTED LSA./// RANKS LOW, NRP FOR SOIL & GW. LTR MAILED 11/15/2011.
5/15/2011	PUGH'S TIRE SERVICE (FORMER)	729 DICKINSON AVENUE	8/15/2011	SL	5 Lifts were excavated to 8 feet soil samples did not exceed S-to-Grdwater. No receptors in the area. Issued NFA
5/10/2011	SMITH AND DARTY RESIDENCE (TERRY AND LINDA)	206 LONGMEADOW ROAD	9/28/2011	SL	(1) 550-GAL HOME HEATING OIL UST CLOSED IN PLACE ON 5/10/11. NO GW ENCOUNTERED. SOIL ABOVE STGW. REQUESTING IAA./// REC'D IAA & LSA. GW BELOW 2L. NO RECPTORS. NRP for soil. NOTE: DATABASE SHOWS CLOSED OUT, BUT NEEDS NRP.
4/21/2011	GREENVILLE MARINE & SPORTS CTR	3600 NE GREENVILLE BOULEVARD	8/12/2011	SL	(1) 525-GAL USED MOTOR OIL UST REMOVED. GW ENCOUNTERED AT APPROX 6FT. SOIL & GW SAMPLES BOTH BELOW STANDARDS. NFA.
4/14/2011	HARRIS RESIDENCE (NANCY)	1611 BEAUMONT DRIVE		GW	550 GALLON HOME HEATING OIL UST REMOVED. SOIL EXCEEDS RES. MSCCS AT FOUNDATION AND IN BASE SAMPLE. GW NOT ENCOUNTERED DURING EXCAVATION. EXCAVATION DEPTH APPROX. 11.5'. IAA/LSA REQUIRED. IAA REPORT REC'D. 0.10' FP MEASURED IN MW-1. RECOVER RP/LSA. INTERMEDIATERANK. STOP FUNDING LETTER SENT 9/22/2011

**SUMMARY TABLE OF UST INCIDENTS
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
4/4/2011	WALDROP RESIDENCE (GAYE)	1207 DREXEL LANE	10/25/2011	GW	(1) 280-GAL HEATING OIL UST REMOVED ON 4/4/11. APPROX 25.08 TONS OF SOIL EXCAVATED. SW SAMPLES BRL. GW ENCOUNTERED AT APPROX 5 FEET BLS. REQUESTED IAA./// REC'D IAA & LSA. GW ABOVE 2L. SENT NRP LETTER FOR GW ONLY.
2/23/2011	DOUGLAS RESIDENCE (DICK & JANEY)	204 HAMPTON CIRCLE		GW	550 GALLON HOME HEATING OIL UST REMOVED. AFTER EXCAVATION, SOIL EXCEEDS RES. MSCCS IN BASE SAMPLE. IAA/LSA REQUIRED. IAA REPORT REC'D 6/1/2011. 0.09 FEET OF FP MEASURED IN MW-1. WARO REQUEST FP REMOVAL IN ADDITION TO LSA. LSA REC'D. FP BAILED. I RANK DUE TO FP/2B. STOP FUNDING LETTER ISSUED 8/1/2011
2/16/2011	KILCOYNE RESIDENCE (BRIAN & BETTE)	2303 EAST 3RD ST.		GW	(1) 280-GAL UST WAS CLOSED IN PLACE ON 2/16/2011. UST WAS PARTLY UNDER HOUSE. DID NOT ENCOUNTER GW AT SURROUNDING EXCAVATION OF 6.5 FT. SOIL TPH ABOVE STDS. RB SOIL SAMPLES "BRL." MW INSTALLED 2/28/2011. GW RESULTS TO FOLLOW IN IAA. /// REC'D IAA 3/32/2011. GW ABOVE 2L. REQUESTING LSA./// REC'D LSA GW ABOVE 2L. BECAUSE SOIL WAS INACCESSIBLE NEXT TO THE HOUSE AND THE TPH READINGS WERE HIGH, THE SOIL IS MOST LIKELY CONTAMINATED IN THAT AREA. THEREFORE WE ARE REQUESTING AN NRP FOR THE PROPERTY FOR BOTH "SOIL" AND GW.
10/19/2010	HILLIARD PROPERTY (MARIE)	210 BELVEDERE DR.		GW	HEATING OIL UST /// (1) 280-GAL HEATING OIL UST REMOVED ON 11/23/2010. NO GW ENCOUNTERED. SOIL ABOVE RESIDENTIAL. REQUESTING LSA.
10/19/2010	F & H MART	425 HOOKER ROAD		GW	(1) 6,000-GAL & (2) 8,000-GAL GASOLINE USTs REMOVED IN 1994. NO REPORTS SUBMITTED AT THAT TIME. ENFORCEMENT MAY 2010. ANALYTICAL RESULTS FROM SOIL BORING SAMPLES DEMONSTRATE SOILS REMAINING AT THE UST AREA EXCEED THE STGW AND RESIDENTIAL MSCCS. REQUESTING LSA./// GW ABOVE 2L BUT NOT GCL. NRP FOR SOIL AND GW. LTR SENT 8/11/2011.
8/30/2010	KASH & KARRY #11	4115 OLD TAR ROAD		SL	
7/28/2010	Pitt County School Bus Garage	901 Mall Drive	1/26/2012	GW	ESA. SOIL AND GROUNDWATER EXCEED TPH AND 2L STDS. COMINGLED UST/AST. WARO REQUESTS ADDITIONAL RB SOIL SAMPLES. NEED A RECEPTOR SURVEY TO COMPLETE AN LSA. IF NO RECEPTORS THEN NRP AND NFA. REFER SOLVENTS TO HAZ WASTE;
6/14/2010	GOGOEL PROPERTY (MICHAEL)	400 S. SUMMIT STREET	4/12/2012	GW	550 GALLON HEATING OIL UST REMOVED. SOIL EXCEEDS RES. MSCCS AT BASE AND FOUNDATION SIDEWALLS. FURTHER EXCAVATION LIMITED. GW NOT ENCOUNTERED DURING EXCAVATION. LSA REQUIRED. LOW RANK. NRP FOR SOIL AND GW (MTBE 3 UG/L).

**SUMMARY TABLE OF UST INCIDENTS
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
5/4/2010	Pitt County Memorial Hospital	2100 Stantonsburg Road		GW	RELEASE OCCURRED FROM A LINE THAT CONNECTS (2) USTS USED TO STORE EMERGENCY GENERATOR FUEL FOR THE NEW HEART CENTER. THE SECTION THAT BROKE WAS WITHIN THE CONTAINMENT VESSEL. FUEL OVERFILLED THE CONTAINMENT VESSEL AND FLOWED INTO THE GRAVEL CONTAINMENT VESSEL SURROUNDING THE TANKS. AREA ABOVE USTS IS PAVED. GMA WAS CONTRACTED TO PERFORM SOIL AND GW SAMPLING. /// IAA REC'D SOIL ABOVE RESIDENTIAL BUT NOT INDUSTRIAL MSCC. FREE PRODUCT 2.53 FT IN MW 2. ASKED FOR LSA AND FP RECOVERY ON 9/23/2010./// REC'D LSA 2/3/2011. WSW 200' SE. RANKS HIGH. REQUESTING CSA.///
3/16/2010	PROVIDENCE @ ECU /TRACK 5	508 E. 12TH ST.	1/5/2012	GW	Residential property demolished to make way for new apartment bldg. near ECU. Residence had a heating oil UST. Site has been transferred to the Brownfields Program on 10/20/10 as requested by them. BROWNSFIELD TO RETURN FILE; NEED ADDITIONAL INFORMATION
3/16/2010	PROVIDENCE @ ECU/ REAL CRISIS CENTER (FORMER)	600 E. 11TH ST.	1/5/2012	GW	Site has been relinquished to the Brownfields Program as requested by them - 10/20/10 snh. Folder has been put into the NFA action files and 10/20/10 will be entered into the close out date. BROWNSFIELD RETURN; NEED ADDITIONAL INFORMATION; LSA submitted; NFA less than residential and 2L
12/10/2009	DUNCAN ESTATE (ELIZABETH)	1038 WEST ROCKSPRING RD.		GW	550 GALLON HOME HEATING OIL UST REMOVAL. SOIL SLIGHTLY EXCEEDS S-GW MSCCS FOR AROMATICS ONLY IN 2 SIDEWALL SAMPLES. BASE SAMPLE @ APPROX 11.5' EXCEEDS RESIDENTIAL MSCCS. LSA REQUIRED. LOW RANK. GW SLIGHTLY ABOVE 2L FOR AROMATICS. DURING INSTALL OF MW-1, 2 SOIL SAMPLES WERE COLLECTED AT APPROX 14 AND 16'. BOTH EXCEED RESIDENTIAL STANDARDS
12/9/2009	ECU AUSTIN BUILDING ELEVATOR	210 EAST 4TH ST.		GW	
8/27/2009	ECU WRIGHT BLDG EAST HYDRAULIC LIFT	210 EAST 4TH STREET		GW	HYDRAULIC LIFT UNDERGROUND
7/21/2009	ECU WRIGHTBLDG. WEST Hydraulic Lift	210 East Fourth St		GW	HYDRAULIC LIFT BURIED UNDERGROUND
6/30/2009	COBB ESTATE (MILDRED)	1522 W C COBB ROAD		GW	(1) 280-GAL GASOLINE UST (USED FOR AGRICULTURAL & PERSONAL USE) REMOVED 6/30/09. GW ENCOUNTERED. SOIL ABOVE RESIDENTIAL AT WW LOCATION./// GW ABOVE 2L. REQUESTED LSA./// REC'D LSA 11/13/09. POTABLE WSW ON SITE. REQUESTED GMA SAMPLE THAT WELL BEFORE APPROVING LSA./// REC'D LSA ADDENDUM 1/6/10. WSW HAD BEEN SAMPLED = BRL. LSA APPROVED. STOP FUNDING LTR SENT 2/10/10.
3/24/2009	Dawkins Residence (Frank & KAREN)	1709 Beaumont Drive		GW	550 GALLON HOME HEATING OIL UST REMOVED. CLOSURE SOIL SAMPLES EXCEED 10 TPH. 20 DAY TO FOLLOW. SOIL EXCEEDS RES. MSCCS NEXT TO FOUNDATION AND IN BASE SAMPLE. LSA REQUIRED. GW EXCEEDS GCL. STP FUNDING LETTER ISSUED.

**SUMMARY TABLE OF UST INCIDENTS
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
1/13/2009	THE PANTRY #832	501 SOUTH MEMORIAL DRIVE		GW	(3) 10,000-GAL GASOLINE UST'S REMOVED ON 12/15&16/2008. GW ENCOUNTERED AT 9.5 FT. SOIL BELOW RESIDENTIAL.. GW ABOVE 2L. REQUESTING LSA.bds /// LSA REC'D = NO RECEPTORS; NRP REQUESTED. RANKING: L75R

**SUMMARY TABLE OF AST INCIDENTS
WITHIN THE CITY OF GREENVILLE**

Date Occurred	Property Owner	Address	Close Out Date	Type of Incident	Comments
12/28/2011	ALLEN ROAD FUEL SPILL	PARCEL 34809		SL	
9/2/2011	CITY OF GREENVILLE SANITATION TRUCK SPILL	RIGHT OF WAY 920B B'S BBQ RD	4/24/2012	NO	APPROX 80 GALLONS OF DIESEL FUEL WAS SPILLED INTO A GRAS LINE ROADSIDE SWALE DUE TO A RUPTURED FUEL TANK ON A CITY SANITATION TRUCK. GRANULAR & PAD ABSORBENTS WERE USED TO COLLECT/CONTAIN SPILL IMMEDIATELY. SPILL STOPPED AND CONTAMINATED SOIL WAS REMOVED. NO GW DETECTED.//// ON 1/19/2012 WARO STAFF VISITED SITE AND SAMPLED SOIL. ON 2/16/2012 LABORATORY RESULTS WERE RETURNED WITH NON DETECTED TPH GAS/DRO. NO FURTHER ACTION IS REQUIRED.
4/27/2011	ECU TRANSFORMER MINGES	MINGES COLISEUM PIRATES WALK	6/28/2011	SL	
3/2/2011	LUM BUCK RD PROPERTY	2013 LUM BUCK RD	3/2/2011	NO	PARCEL #67173 PITT COUNTY. ANONYMOUS COMPLAINT OF CARS LEAKING GASOLINE. DID NOT SEE ANY STAINED SOIL OR SHEEN ON DITCHES.
1/19/2011	PITT COUNTY MEMORIAL HOSPITAL HELIPORT	SERVICE DRIVE	4/20/2011	SL	ON 1/19/2011 AN EASTERN AVIATION FUELS TRANSPORTER WAS OFF-LOADING JET FUEL (KEROSENE) TO A MEDICAL RESCUE HELICOPTER LOCATED ON THE HELIPORT OWNED BY PITT COUNTY MEMORIAL HOSPITAL. THE FUEL LINE FAILED AND RELEASED APPROX. 20 GALLONS OF JET FUEL TO THE CONCRETE HELIPAD AND SURFICIAL SOILS SURROUNDING THE HELIPAD. REMEDIATION ACTIVITIES WERE INITIATED ON 1/21/2011. AFTER SOIL EXCAVATION, THE AREA WAS SUCCESSFULLY REMEDIATED TO BELOW THE TPH ACTION LEVEL. NFA.
10/29/2010	AC WIDENHOUSE ASPHALT BINDER RELEASE	CORNER OF ARLINGTON & MEMORIAL	12/16/2010	SL	
4/6/2010	ECU TRANSFORMER SCOTT RESIDENCE HALL	HASKETT WAY	6/8/2010	SL	
3/29/2010	THE PROVINCE @ ECU/TRACK 1	1209 Charles Blvd.	10/20/2010	SL	THIS TRACK OF LAND USED TO BE THE KINGS ARMS APT. THE EDWARDS COMMUNITIES GROUP DEMOLISHED THE BLDGS AND WILL BE BLDGING NEW ECU APARTMTS. THE RP HAD THE CONSULTANT COLLECT SOIL GAS WHICH SHOWED HITS OF PETRO BUT THEY DID NOT COLLECT SOIL SAMPLES FOR LAB ANALYSIS. Site has been transferred to the Brownfields Program as requested by them. Memo of tranfer is dated 10/20/10. Using this date for the close out date.
2/7/2010	ECU JOYNER EAST LIBRARY	OFF DUNCAN COURT	8/6/2010	SL	
1/5/2010	ECU FICKLEN STADIUM TRANSFORMER	210 EAST 4TH ST.	4/26/2010	SL	
12/10/2009	ECU TRANSFORMER FLANAGAN HALL	210 EAST 4TH ST.	4/15/2010	SL	
11/9/2009	ECU CROATAN RENOVATION TRANSFORMER	ECU CAMPUS	2/23/2010	SL	